

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

## Port Authority® Women's Heather Microfleece Full-Zip Jacket. L235

### Product photo



Venture out in warmth and style in this non-bulky microfleece that has a heather look for added visual appeal. An anti-pill finish helps preserve the smooth look on this trend-right style available at budget-friendly prices.

- 4.6-ounce, 100% polyester microfleece
- Coverstitched seams
- Exposed coil zippers
- Non-zippered front pockets
- Open cuffs and hem

*Each garment is infused with unique character. Please allow for slight color variations.*

### CARE INSTRUCTIONS

Machine wash cold. Only non-chlorine bleach when needed. Tumble dry low. Cool iron on reverse side if necessary

### Sketches



front



back

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Women's Heather Microfleece Full-Zip Jacket. L235

## PRODUCT MEASUREMENTS

	XS	S	M	L	XL	XXL	3XL	4XL
Size	2	4/6	8/10	12/14	16/18	20/22	24/26	28/30
Bust	18 1/2	19 1/2	20 1/2	22	23 1/2	25	27	29
Body Length at Back	26	26 5/8	27 1/4	27 7/8	28 1/2	29 1/8	29 3/4	30 3/8
Sleeve Length from Center Back	31 3/4	32 1/4	32 3/4	33 3/8	34	34 5/8	35	35 3/8

**Bust:** Measured across the chest one inch below armhole when laid flat.

**Body Length at Back:** Measured from high point shoulder to finished hem at back.

**Sleeve Length from Center Back:** Measure from Center Back neck to shoulder point to sleeve hem.

## SIZE CHARTS

	XS	S	M	L	XL	XXL	3XL	4XL
Size	2	4/6	8/10	12/14	16/18	20/22	24/26	28/30
Bust	32-34	35-36	37-38	39-41	42-44	45-47	48-51	52-55

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Women's Heather Microfleece Full-Zip Jacket. L235

## HOW TO MEASURE

---



### BUST

Measure under the arm and around the fullest part of the bust with arms down, keeping tape horizontal.

## COLORS

---



Aqua Green  
Heather  
PMS 321C



Black  
Charcoal  
Heather  
PMS 426C



Light Royal  
Heather  
PMS 7685C



Pearl Grey  
Heather



Pink  
Raspberry  
Heather  
PMS RUBINE  
RED C



True Navy  
Heather  
PMS 5255C